

**IDENTITY:**

PasteOil Base Antiquing      1001-1010  
 Midas Touch                      978

**DATE:** January 1, 2001

S.I.C. #3952

**SECTION 1** Private labeled for: Creative Paradise, Inc.  
 415 Industrial, Goddard, KS 67052  
 Phone Number: (316) 794-8621

**IN CASE OF EMERGENCY PLEASE CONTACT YOUR LOCAL POISON CONTROL CENTER**

**SECTION 2 HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

Hazardous Components	OSHA PEL	ACGIH TLV
Hydrotreated Heavy Naptha - Mineral Spirits	350 / m3	500 ppm

**SECTION 3 PHYSICAL/CHEMICAL CHARACTERISTICS**

Boiling Point: 315-385°F Melting Point: N/A  
 Specific Gravity (H<sub>2</sub>O=1): .92 to 1.14  
 Vapor Pressure (mm Hg): 6 @ 106°F  
 Vapor Density (Air=1): Nil  
 Dilutable Evaporation rate (Butyl Acetate = 1): 1000 x Slower  
 Appearance and Odor: Various colors, mineral spirits odor

**SECTION 4 FIRE AND EXPLOSION DATA**

Flash Point (Method used): 125°F, Tag closed sup LEL: 0.8%  
 Flammable Limits: Autoignition at 540°F, UEL: 5.0  
 Extinguishing Media: Water fog, chemical foam, dry chemical, CO<sub>2</sub>  
 Special Fire Fighting Procedures: Wear self-contained breathing apparatus. Cool exposed containers with water spray.  
 Unusual Fire and Explosion Hazards: Vapors are heavier than air and may travel along the ground to distant sources of ignition such as pilot lights.

**SECTION 5 PHYSICAL HAZARDS - REACTIVITY DATA**

Stability: Stable (conditions to avoid): N/A  
 Incompatibility: (materials to avoid): Incompatible with strong oxidizing agents.  
 Hazardous Decomposition or Byproducts: Carbon Monoxide and asphyxiants  
 Hazardous Polymerization: Will not occur (conditions to avoid): N/A

**SECTION 6 HEALTH HAZARD DATA**

Routes of entry: Inhalation? Irritating to mucous membrane Skin? Practically non-toxic  
 Ingestion? Moderately Toxic  
 Health Hazards (Acute & Chronic): Oral LD 50 is estimated to be between 0.5 and 5.0 grams per kilogram of body weight. Pulmonary aspiration hazard if swallowed. Defats skin  
 Carcinogenicity:None NTP? No IARC Monographs? No OSHA Regulated? No.

Signs and Symptoms of Exposure: Dizziness, weakness, fatigue & nausea. Gastrointestinal irritation if swallowed. Skin & eye irritation Medical Conditions Aggravated by Exposure: Respiratory problems may be increased by fumes. Skin problems may be increased by defatting action Chemical Listed as a Carcinogen or Potential

**Emergency FIRST AID Procedures:** Eyes: Flush with running water for 15 min.  
Inhalation: Remove to fresh air. Skin: Wash skin with soap and water.  
Ingestion: DO NOT INDUCE VOMITING OR GIVE LIQUIDS CALL PHYSICIAN.

## **SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE**

Other precautions: Avoid repeated or prolonged skin contact and inhalation of solvent vapors.  
Small spills: Wipe with paper towels, clean with mineral spirits  
Large Spills: Clean up spill with absorbent material and place into a receptacle for disposal.  
Waste Disposal Method: Incinerate after dry.  
Precautions to be taken in handling & storage: Keep containers tightly closed when not in use. Keep containers cool and dry.  
Other precautions: DO NOT expose product to open flame.

## **SECTION 8 CONTROL MEASURES**

Respiration Protection: N/A  
Ventilation Requirements: Local exhaust - Recommended  
Mechanical: General-recommended if large quantity used. Special-None Other-none  
Eye Protection: Safety glasses should be worn if splashing may occur.  
Other Protective Clothing or Equipment: Impervious gloves if skin is irritated. Impervious apron.  
Work/Hygienic Practices: DO NOT eat, drink or smoke when using. NO OPEN FLAMES in area.