

MATERIAL SAFETY DATA

1 of 2 MSDS #001

Product: Opaque Stain (Bisque Primer)

Private labeled for: Creative Paradise, Inc.
415 Industrial
Goddard, KS
United States of America

Phone Number: (316) 794-8621

Date: January 1, 2001

HAZARDOUS INGREDIENTS

Hazardous Components	Percent	OSHA PEL	ACGIH TLV
Aluminum Silicate (CAS#22708-90-3)	10 to 20	15 mg/m ³	10 mg/m ³
Ethylene Glycol	1 to 5	*C 50 PPM	C 50 PPM (as vapor)
Titanium Dioxide	10 to 20	10 mg/m ³	10 mg/m ³

*C = Ceiling limit.

The above listed chemicals are listed in accordance with the OSHA Hazard Communication Standard. Exposure at the PEL or TLV to these materials are not expected during the normal use of this product due to the product size and designated use.

PHYSICAL CHARACTERISTICS

Boiling Point: 212°F
Specific Gravity: 1.0
Vapor Pressure (mm Hg): 1.0 N/A
Vapor Density (Air=1): N/A
Solubility in Water: Soluble
Reactivity: Not Reactive
Melting Point: N/A
Appearance and Odor: Latex stain with slight odor

FIRE AND EXPLOSION DATA

Flash Point: N/A (water based product)
Flammable Limits: N/A (water based product)
Auto ignition: N/A
Extinguishing Media: Dry chemical, foam, Carbon Dioxide.
Special Fire Fighting Procedures: Wear self-contained breathing apparatus. Cool exposed containers with water spray.
Unusual Fire and Explosion Hazards: Excessive heat will cause container to rupture due to pressure.

PHYSICAL HAZARDS - REACTIVITY DATA

Stability: Stable
Incompatibility: Product is Incompatible with strong acids or bases and oxidizing agents.
Hazardous Decomposition or Byproducts: Carbon monoxide, carbon dioxide and oxides of nitrogen.
Hazardous Polymerization: Will not occur

HEALTH HAZARDS

Hazard to Human: None during normal use.
Acute: Primary health hazard – skin contact.
Chronic: No chronic health hazards are known with this product
Signs and Symptoms of Exposure:
Inhalation – Health hazard is limited since this is a water based product with a minor amount of ethylene glycol as a co-solvent.
Skin Contact – Repeated or prolonged contact may cause redness or erythema and dry skin.
Eye Contact – If splashed into eyes, slight to moderate redness may occur.
Ingestion – Amounts ingested incidental to consumer use are not likely to cause injury.

Medical Conditions Aggravated by Exposure: This product is not expected to aggravate existing medical conditions.
Chemical Listed as a Carcinogen or potential Carcinogen: IARC: No; NTP: OSHA; No.

EMERGENCY AND FIRST AID PROCEDURES:

Inhalation: Remove to fresh air. Seek medical help.

Skin Contact: Wash skin with soap and water, if irritation develops consult physician.

Eye Contact: Flush eyes running water. If irritation develops, contact a physician.

Ingestion: IN CASE OF EMERGENCY PLEASE CONTACT YOUR LOCAL POISON CONTROL CENTER.

SPECIAL PRECAUTIONS

PRECAUTIONS FOR SAFE HANDLING AND USE: Keep containers tightly closed when not in use. Keep containers cool and dry and away from sources of ignition.

Other precautions: Avoid repeated or prolonged skin contact.

Procedure for leaks or spills: Clean up spill with absorbent and place into a receptacle for disposal.

Waste Disposal Method: Follow Federal or State and Local regulations for disposal.

SPECIAL PROTECTION INFORMATION

Ventilation Requirements: Provide local or general exhaust to maintain levels below applicable PELs or TVLs

Respiration Protection: If ventilation cannot maintain levels below limit values, user should wear organic vapor respirator.

Eye Protection: Safety glasses should be worn if splashing may occur.

Protective Gloves: If prolonged contact will occur, butyl or neoprene gloves should be worn.

Work/Hygienic Practices: Wash hands thoroughly with soap and water after using this product. Do not eat or drink while handling.

SPECIAL STATE/FEDERAL REQUIREMENTS

California Proposition 65-

This product does not contain any chemicals subject to California Proposition 65.

SARA 313 Release Notification-

This product does not contain any chemical subject to SARA 313 Release Notification.